

LOG OUT | SEARCH | MY PRODUCTS | CONTACT US | USER GUIDE

27th Edition AC ISC GRG MCM RFC HC CCG TC BHG PIP MCR Date of Service mm/dd/y

Quick Search irf Search

Recovery Facility Care > Optimal Recovery Guidelines > Inpatient Rehabilitation Facility (IRF) > Orthopedics > Inpatient Rehabilitation Facility (Acute Rehabilitation): Hip Arthroplasty (I-5560)

Inpatient Rehabilitation Facility (Acute Rehabilitation): Hip Arthroplasty

MCG Health

Recovery Facility
Care
27th Edition

IRF: I-5560 (RFC) Link to Codes

Print View

- Clinical Indications for Admission to Inpatient Rehabilitation Facility (Acute Rehabilitation)
- Alternative Levels of Care
- Length of Stay
- Evaluation and Treatment
 - General Treatment Course
 - Clinical Assessment
 - Extended Stay
 - Rehabilitation Treatment Plan
 - Physical Therapy Treatment Plan
 - · Occupational Therapy Treatment Plan
 - · Patient Education
- Discharge Planning
- Quality Measures
- Evidence Summary
 - Background
 - Alternatives
 - Length of Stay
- References
- Footnotes
- Codes

Clinical Indications for Admission to Inpatient Rehabilitation Facility (Acute Rehabilitation)

Return to top of Inpatient Rehabilitation Facility (Acute Rehabilitation): Hip Arthroplasty - RFC

[Expand All / Collapse All]

- Inpatient rehabilitation facility (acute rehabilitation) admission may be indicated by ALL of the following(1)(2)(3):
 - No acute hospital care needs
 - o Immediate preceding acute hospital stay for hip arthroplasty and 1 or more of the following[A](1):
 - Bilateral hip arthroplasty performed
 - Body mass index (BMI) of 50 or higher
 - Age 85 years or older
 - Patient status supports active participation in, and benefit from, intensive rehabilitation Skilled care that includes ALL of the following(4):
 - Intense and complex care needs make inpatient care safer and more practical than attempting care at a lower level.
 - Intensive rehabilitation therapy program
 - Goals for measurable improvement