

LOG OUT | SEARCH | MY PRODUCTS | CONTACT US | USER GUIDE

27th Edition AC ISC GRG MCM RFC HC CCG TC BHG PIP MCR Date of Service mm/dd/y

Quick Search irf Search

Recovery Facility Care > Optimal Recovery Guidelines > Inpatient Rehabilitation Facility (IRF) > Immunology - Rheumatology > Inpatient Rehabilitation Facility (Acute Rehabilitation): Systemic Vasculitides with Joint Inflammation (I-7017)

Inpatient Rehabilitation Facility (Acute Rehabilitation): Systemic Vasculitides with Joint Inflammation

MCG Health

Recovery Facility Care 27th Edition

IRF: I-7017 (RFC) Link to Codes

Print View

- Clinical Indications for Admission to Inpatient Rehabilitation Facility (Acute Rehabilitation)
- · Length of Stay
- Evaluation and Treatment
 - General Treatment Course
 - Clinical Assessment
 - Extended Stav
 - Rehabilitation Treatment Plan
 - · Physical Therapy Treatment Plan
 - · Occupational Therapy Treatment Plan
 - Patient Education
- Discharge Planning
- · Quality Measures
- Evidence Summary
 - Background
- References
- Footnotes
- Codes

Clinical Indications for Admission to Inpatient Rehabilitation Facility (Acute Rehabilitation)

Return to top of Inpatient Rehabilitation Facility (Acute Rehabilitation): Systemic Vasculitides with Joint Inflammation - RFC

[Expand All / Collapse All]

- Inpatient rehabilitation facility (acute rehabilitation) admission may be indicated by ALL of the following(1)(2)(3):
 - No acute hospital care needs
 - Active systemic vasculitides with joint inflammation and **ALL** of the following[A](1):
 - Patient had **1 or more** of the following:
 - Disease activation immediately preceding admission
 - Less-intensive rehabilitation attempted and did not improve condition[B]
 - Significant functional impairment of ambulation
 - Significant functional impairment of personal hygiene management (eg, bathing, brushing teeth), dressing, toileting, eating, or transfers
 - Patient status supports active participation in, and benefit from, intensive rehabilitation Skilled care that includes ALL of the following(5):
 - Intense and complex care needs make inpatient care safer and more practical than attempting care at a lower level.
 - + Intensive rehabilitation therapy program