

## LOG OUT | SEARCH | MY PRODUCTS | CONTACT US | USER GUIDE

27th Edition AC ISC GRG MCM RFC HC CCG TC BHG PIP MCR Date of Service mm/dd/y

Quick Search irf Search

Recovery Facility Care > Optimal Recovery Guidelines > Subacute/Skilled Nursing Facility (SNF) > Thoracic Surgery and Pulmonary Disease > Asthma (M-5060)

## **Asthma**

ORG: M-5060 (RFC) Link to Codes

Print View

MCG Health

Recovery Facility
Care
27th Edition

- · Clinical Indications for Admission to Recovery Facility
- · Alternative Levels of Care
- Length of Stay
- · Evaluation and Treatment
  - · General Treatment Course
  - Extended Stay
  - · Patient Education
- Discharge Planning
- Quality Measures
- References
- Footnotes
- Codes

## Clinical Indications for Admission to Recovery Facility

Return to top of Asthma - RFC

- Skilled nursing facility (SNF) or subacute facility care is/was needed for appropriate care of patient because of ALL of the following:
  - There are no acute hospital care needs.(1)
  - The patient has Intense and complex care needs that make recovery facility care safer and more practical than attempting
    care at a lower level and ALL of the following[A][B](4):
    - These care needs include the multiple components of care that are delivered by skilled professionals at a recovery facility.[C][D][E]
    - There is a plan to provide **ALL** of the following(14):
      - Care plan management and evaluation to meet patient needs, achieve treatment goals, and ensure medical safety(15)
      - Observation and assessment of patient's changing condition to evaluate need for treatment modification or for additional procedures until condition stabilized
      - Education services to teach patient self-maintenance or to teach caregiver patient care(16)(17)
      - Skilled care treatments daily (or more frequent), including 1 or more of the following:
        - Nursing treatments needed for **1 or more** of the following(18):
          - Intravenous (IV) infusion, IV injection, or intramuscular (IM) injection(1)(16)
          - Oxygen administration, starting or managing changes(19)(20)
          - Patient care training and assistance for 1 or more of the following(21):
            - Exercise program (eg, range of motion, pulmonary, cardiac)(22)
            - Safe performance of ADL (eg, dressing, communicating, eating)
        - Rehabilitation therapy treatments (PT, OT, or SLP) needed for 1 or more of the following[F](18)(24):
          - Ongoing assessment of rehabilitation needs and potential (eg, range of motion, strength, balance)
          - Supervision of therapeutic exercises or activities to ensure patient safety and treatment effectiveness
          - Gait evaluation and training