

## LOG OUT | SEARCH | MY PRODUCTS | CONTACT US | USER GUIDE

27th Edition AC ISC GRG MCM RFC HC CCG TC BHG PIP MCR Date of Service mm/dd/y

Quick Search irf Search

Recovery Facility Care > Optimal Recovery Guidelines > Subacute/Skilled Nursing Facility (SNF) > Orthopedics > Burn, Major (M-5615)

## Burn, Major

ORG: M-5615 (RFC)
Link to Codes

Print View

## MCG Health

Recovery Facility Care 27th Edition

- · Clinical Indications for Admission to Recovery Facility
- · Alternative Levels of Care
- Length of Stay
- Evaluation and Treatment
  - General Treatment Course
  - Extended Stay
  - · Patient Education
- Discharge Planning
- · Quality Measures
- References
- Footnotes
- Codes

## Clinical Indications for Admission to Recovery Facility

Return to top of Burn, Major - RFC

- Skilled nursing facility (SNF) or subacute facility care is/was needed for appropriate care of patient because of ALL of the following:
  - There are no acute hospital care needs.(1)
  - The patient has Intense and complex care needs that make recovery facility care safer and more practical than attempting care at a lower level and **ALL** of the following[A][B](4):
    - These care needs include the multiple components of care that are delivered by skilled professionals at a recovery facility.[C][D][E]
    - There is a plan to provide **ALL** of the following(14):
      - Care plan management and evaluation to meet patient needs, achieve treatment goals, and ensure medical safety(15)
      - Observation and assessment of patient's changing condition to evaluate need for treatment modification or for additional procedures until condition stabilized
      - Education services to teach patient self-maintenance or to teach caregiver patient care(16)(17)
      - Skilled care treatments daily (or more frequent), including 1 or more of the following:
        - Nursing treatments needed for **1 or more** of the following(18):
          - Intravenous (IV) infusion, IV injection, or intramuscular (IM) injection(1)(16)
          - Tube feeding (ie, gastrostomy tubes, jejunostomy tubes, percutaneous endoscopic gastrostomy (PEG) tubes, nasogastric tubes) required because patient needs feeding to supply at least 26% of daily calories and at least 501 mL of daily fluids(16)(19)(20)
          - Wound management that requires dressing changes with prescription medication or clean technique and treatment for 1 or more of the following(1):
            - Burns(21)
            - Treatment with any stage III or IV pressure injury(16)
            - Treatment with 2 or more ulcers, including venous ulcers, arterial ulcers, or stage II pressure